



PRODUCT LINE - Advanced Receiver Systems / Receiver Multicouplers

Part Number	Product Name	Freq Band	Freq MHz	Operating Temp. Range	Outputs	Multicoupler Type
RX0696-301 6-31B	Multicoupler Expansion, 16 PORT, 66-960MHz, BNC (F)	Broadband	796-824MHz	-	-	-
RX0696-300 8-31B	Multicoupler Expansion, 8 PORT, 66-960MHz, BNC (F)	Broadband	60 to 960MHz	-30° to +60° C / -22° to +140° F	8	Expandable Low Noise Quad Amp Multicoupler
RX6996-341 6-34-ACB	Receiver Multicoupler/TTA Controller unit (RxMUX) 690-960MHz, 16 PORT CMU With TTA Control - 110-240VAC	700/800/900	796-824MHz	-	-	-
RX6996-341 6-34-48B	Receiver Multicoupler/TTA Controller unit (RxMUX) 690-960MHz, 16 PORT CMU With TTA Control -48VDC	700/800/900	-	-	-	-

Part Number	Product Name	Freq Band	Freq MHz	Operating Temp. Range	Outputs	Multicoupler Type
RX6996-300 1-36-48N	Receiver Multicoupler/TTA Controller unit (RxMUX) 690-960MHz . 2 PORT CMU With TTA Control -48VDC	700/800/900	796-824MHz	-	-	-
RX6996-300 1-36-ACN	Receiver Multicoupler/TTA Controller unit (RxMUX) 690-960MHz . 2 PORT CMU With TTA Control. 110-240VAC	700/800/900	796-824MHz	-	-	-
RX6996-340 8-34-ACB	Receiver Multicoupler/TTA Controller unit (RxMUX) 690-960MHz . 8 PORT CMU With TTA Control = 110-240VAC	700/800/900	700/800MHz	-	-	-
RX6996-340 8-31-48B	Receiver Multicoupler/TTA Controller unit (RxMUX) 690-960MHz . 8 PORT CMU With TTA Control -48VDC	700/800/900	698-960MHz	-30°C to +60°C / 22°F to 140°F	-	-
RX6996-340 8-38-ACB	Receiver Multicoupler/TTA Controller unit (RxMUX) 690-960MHz . 8 PORT MULT With TTA Control -110-240VAC	700/800/900	796-824MHz	-	-	-

Part Number	Product Name	Freq Band	Freq MHz	Operating Temp. Range	Outputs	Multicoupler Type
RX6996-3408-38-48B	Receiver Multicoupler/TTA Controller unit (RxMUX) 690-960MHz , 8 PORT MULT With TTA Control -48VDC	700/800/900	796-824MHz	-	-	-