


PRODUCT LINE - Advanced Receiver Systems / Receiver Multicouplers

Part Number	Product Name	Conn. Type	Freq Band	Freq MHz	Operating Temp. Range	Outputs	Multicoupler Type
RX0696-3016-31B	Multicoupler Expansion, 16 PORT, 66-960MHz, BNC (F)	-	Broadband	60 to 960MHz	-30 to +60°C / -22 to +140°F	16	Expansion Multicoupler
RX0696-3008-31B	Multicoupler Expansion, 8 PORT, 66-960MHz, BNC (F)	-	Broadband	60 to 960MHz	-30° to +60° C / -22° to +140° F	8	Expansion Multicoupler
RX6996-3416-34-ACB	Receiver Multicoupler /TTA Controller unit (RxMUX) 690-960MHz, 16 PORT CMU With TTA Control - 110-240VAC	-	700/800/900	698-960M Hz	-30 to +60°C / -22 to +140°F	16	TTA Controller and Receiver Multicoupler , -
RX6996-3416-34-48B	Receiver Multicoupler /TTA Controller unit (RxMUX) 690-960MHz, 16 PORT CMU	-	700/800/900	698-960M Hz	-30 to +60°C / -22 to +140°F	16	TTA Controller and Receiver Multicoupler



RFI Americas

Part Number	Product Name	Conn. Type	Freq Band	Freq MHz	Operating Temp. Range	Outputs	Multicoupler Type
	With TTA Control - 48VDC						
RX6996-3001-36-48N	Receiver Multicoupler /TTA Controller unit (RxMUX) 6 90-960MHz, 2 PORT CMU With TTA Control -48VDC	-	700/800/900	698-960M Hz	-30 to +60°C / -22 to +140°F	1	TTA Controller and Receiver Multicoupler
RX6996-3001-36-ACN	Receiver Multicoupler /TTA Controller unit (RxMUX) 6 90-960MHz, 2 PORT CMU With TTA Control, 110-240VAC	-	700/800/900	698-960M Hz	-30 to +60°C / -22 to +140°F	1	TTA Controller and Receiver Multicoupler
RX6996-3408-34-ACB	Receiver Multicoupler /TTA Controller unit (RxMUX) 6 90-960MHz, 8 PORT CMU With TTA Control - 110-240VAC	-	700/800/900	698-960M Hz	-30 to +60°C / -22 to +140°F	8	TTA Controller and Receiver Multicoupler
RX6996-3408-31-48B	Receiver Multicoupler /TTA Controller unit (RxMUX) 6 90-960MHz, 8 PORT CMU With TTA Control - 48VDC	-	700/800/900	698-960M Hz	-30°C to +60°C / 22°F to 140°F	8	Receiver Multicoupler



RFI Americas

Part Number	Product Name	Conn. Type	Freq Band	Freq MHz	Operating Temp. Range	Outputs	Multicoupler Type
RX6996-3408-34-48B	Receiver Multicoupler /TTA Controller unit (RxMUX) 6 90-960MHz, 8 PORT CMU With TTA Control -48VDC	-	700/800/900	698-960M Hz	-30 to +60°C / -22 to +140°F	8	TTA Controller and Receiver Multicoupler
RX6996-3408-38-ACB	Receiver Multicoupler /TTA Controller unit (RxMUX) 6 90-960MHz, 8 PORT MULT With TTA Control -110-240VAC	-	700/800/900	796-824M Hz	-	-	-
RX6996-3408-38-48B	Receiver Multicoupler /TTA Controller unit (RxMUX) 6 90-960MHz, 8 PORT MULT With TTA Control -48VDC	-	700/800/900	796-824M Hz	-	-	-

2023 Case Parkway North
 Twinsburg, OH 44087
 Phone: (330)-486-0706 Fax: (330)-486-0705
 sean.johnson@rfi.com.au, steve.lehman@rfi.com.au